



WESTERN ZEBRA SHADES



The Zebra Shade Collection offers an easy-to-use shading solution with modern flair. In this collection, you'll find sophisticated colors and high-end roller fabric textures. All fabrics in the collection can be made as zebra shades.

The collection offers over 120 patterns that include light-filtering and blackout fabrics. These fabrics feature stylish designs, rich textures, and classic patterns. The darkness is available in 1-4 degree.

The collection makes child safety simple and can be paired with our Easy or Exact cordless lift systems or wand and remote motorized control options. Top treatments for the collection include arc or square cassettes.

Choose us and enjoy peace of mind, we have a 5-year warranty on workmanship and quality, and make every effort to ensure that our customers are 100% satisfied.



TABLE OF CONTENTS

MATERIALS REFERENCE TABLES

RESIDENTIAL ZEBRA SHADES FABRICS	4-6
ZEBRA PRICE GROUPS	7-8
ZEBRA SHADE MEASURING & ORDERING INSTRUCTIONS	9
FABRIC CERTIFICATIONS	10

FABRIC TYPES AND ACCESSORIES

FABRIC TYPES	11
BOTTOMRAIL	12

SHADE CONTROL OPTIONS

CONTINUOUS CORD LOOP	12
CORDLESS	13
WAND MOTOR	14
REMOTE MOTOR	15
REMOTE & SMART HUB CONTROL	16
SOLAR PANEL	17

SHADE TOP TREATMENTS

ARC & SQUARE CASSETTES	18-19
TWO-ON-ONE SHADES	20

SHADE SPECIFICATIONS

EIGHT-GRID GASKET, GASKET, HOLD DOWN BRACKETS	21-22
SPECIFICATIONS TABLE	3

Shade Specifications

Zebra Shade Types	Shade Min width (inch)	Shade Max width (inch)	Shade Min Height (inch)	Shade Max Height (inch)	Min IB depth for top mount (Inch)	Min IB depth for face mount (Inch)	Width difference of shade and fabric
SMALL CASSETTE							
Continuous Loop	12"	90"	12"	78"	3 1/2"	3 1/2"	1 3/8"
Exact Lift Cordless	23 5/8"	78"	12"	78"	3 1/2"	3 1/2"	1 1/16"
Wireless motor-standard	20"	90"	12"	78"	3 1/2"	3 1/2"	1 1/4"
Quiet motor	29 5/8"	90"	12"	78"	3 1/2"	3 1/2"	1 1/4"
Wired Motor	20 1/8"	90"	12"	78"	3 1/2"	3 1/2"	1 1/4"
Outside battery motor	15"	90"	12"	78"	3 1/2"	3 1/2"	1 1/4"
Wand Motor	23"	90"	12"	78"	3 1/2"	3 1/2"	1 1/4"
BIG CASSETTE							
Continuous Loop	12"	118"	12"	118"	4 3/8"	4 3/8"	1 3/8"
Exact Lift Cordless	23 5/8"	96"	12"	96"	4 3/8"	4 3/8"	1 1/16"
Wireless motor-standard	20"	118"	12"	118"	4 3/8"	4 3/8"	1 1/4"
Quiet motor	29 5/8"	118"	12"	118"	4 3/8"	4 3/8"	1 1/4"
Wired Motor	20 1/8"	118"	12"	118"	4 3/8"	4 3/8"	1 1/4"
Outside battery motor	15"	118"	12"	118"	4 3/8"	4 3/8"	1 1/4"
Wand Motor	23"	118"	12"	118"	4 3/8"	4 3/8"	1 1/4"

DEDUCTIONS:

INSIDE MOUNT

A 1/8" deduction will be taken for shades with a cassette ordered as an inside mount.

A 1/8" deduction will be taken for shades ordered open roll as an inside mount.

A 1/4" deduction will be taken for shades ordered open roll as an inside mount with an end cap.

OUTSIDE MOUNT

When outside mount shades are specified, no factory deductions are taken from the end of the cassette with an end cap or the bracket-to-bracket measurement with an end cap.

FABRIC CODE	PRICE GROUP	ROOM DARKENING LEVEL(1-4)	FABRIC COMPOSITION	FABRIC WEIGHT (g/m ²)	FABRIC WIDTH	REPEAT Solid/Sheer	CAS-SETTE/END CAP/CHAIN COLOR	WAND COLOR	FABRIC WRAPPED CASSETTE	U BOTTOM-RAIL	FABRIC WRAPPED BOTTOMRAIL
DL200240001	B	2	100%Polyester	0.321	110"	80mm+50mm	White	White	Y	Y	Y
DL200240002	B	2	100%Polyester	0.321	110"	80mm+50mm	Beige	Beige	Y	Y	Y
DL200240003	B	2	100%Polyester	0.321	110"	80mm+50mm	Beige	Beige	Y	Y	Y
DL200240004	B	2	100%Polyester	0.321	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL200240005	B	2	100%Polyester	0.321	110"	80mm+50mm	Bronze	Bronze	Y	Y	Y
DL200240006	B	2	100%Polyester	0.321	110"	80mm+50mm	Black	Black	Y	Y	Y
DL200250001	D	3	100%Polyester	0.573	110"	80mm+50mm	White	White	Y	Y	Y
DL200250002	D	3	100%Polyester	0.573	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL200250003	D	3	100%Polyester	0.573	110"	80mm+50mm	White	White	Y	Y	Y
DL200250004	D	3	100%Polyester	0.573	110"	80mm+50mm	Black	Black	Y	Y	Y
DL200260001	B	2	100%Polyester	0.387	110"	73mm+50mm	White	White	Y	Y	Y
DL200260002	B	2	100%Polyester	0.387	110"	73mm+50mm	Beige	Beige	Y	Y	Y
DL200260003	B	2	100%Polyester	0.387	110"	73mm+50mm	Grey	Grey	Y	Y	Y
DL200260004	B	2	100%Polyester	0.387	110"	73mm+50mm	Bronze	Bronze	Y	Y	Y
DL200260005	B	2	100%Polyester	0.387	110"	73mm+50mm	Black	Black	Y	Y	Y
DL200260006	B	2	100%Polyester	0.387	110"	73mm+50mm	Beige	Beige	Y	Y	Y
DL200260007	B	2	100%Polyester	0.387	110"	73mm+50mm	White	White	Y	Y	Y
DL202050002	C	4	100%Polyester	0.573	110"	70mm+50mm	Beige	Beige	Y	Y	Y
DL202050003	C	4	100%Polyester	0.573	110"	70mm+50mm	Beige	Beige	Y	Y	Y
DL202050004	C	4	100%Polyester	0.573	110"	70mm+50mm	White	White	Y	Y	Y
DL202050007	C	4	100%Polyester	0.573	110"	70mm+50mm	Bronze	Bronze	Y	Y	Y
DL202050012	C	4	100%Polyester	0.573	110"	70mm+50mm	Bronze	Bronze	Y	Y	Y
DL202050090	C	4	100%Polyester	0.573	110"	70mm+50mm	White	White	Y	Y	Y
DL202050091	C	4	100%Polyester	0.573	110"	70mm+50mm	Beige	Beige	Y	Y	Y
DL202050092	C	4	100%Polyester	0.573	110"	70mm+50mm	Grey	Grey	Y	Y	Y
DL202050093	C	4	100%Polyester	0.573	110"	70mm+50mm	Grey	Grey	Y	Y	Y
DL202090001	B	2	100%Polyester	0.387	110"	75mm+50mm	Beige	Beige	Y	Y	Y
DL202090201	B	2	100%Polyester	0.387	110"	75mm+50mm	White	White	Y	Y	Y
DL202090204	B	2	100%Polyester	0.387	110"	75mm+50mm	Grey	Grey	Y	Y	Y
DL202090206	B	2	100%Polyester	0.387	110"	75mm+50mm	Black	Black	Y	Y	Y
DL202090209	B	2	100%Polyester	0.387	110"	75mm+50mm	Grey	Grey	Y	Y	Y
DL220230001	C	2	100%Polyester	0.492	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL220230002	C	2	100%Polyester	0.492	110"	80mm+50mm	White	White	Y	Y	Y
DL220230003	C	2	100%Polyester	0.492	110"	80mm+50mm	Beige	Beige	Y	Y	Y
DL220230005	C	2	100%Polyester	0.492	110"	80mm+50mm	Black	Black	Y	Y	Y
DL220240001	C	2	100%Polyester	0.508	110"	80mm+48mm	Grey	Grey	Y	Y	Y
DL220240002	C	2	100%Polyester	0.508	110"	80mm+48mm	White	White	Y	Y	Y
DL220240003	C	2	100%Polyester	0.508	110"	80mm+48mm	Beige	Beige	Y	Y	Y
DL220240004	C	2	100%Polyester	0.508	110"	80mm+48mm	Grey	Grey	Y	Y	Y
DL220250001	D	4	100%Polyester	0.606	110"	82mm+50mm	Grey	Grey	Y	Y	Y
DL220250003	D	4	100%Polyester	0.606	110"	82mm+50mm	Bronze	Bronze	Y	Y	Y

FABRIC CODE	PRICE GROUP	ROOM DARKENING LEVEL(1-4)	FABRIC COMPOSITION	FABRIC WEIGHT (g/m ²)	FABRIC WIDTH	REPEAT Solid/Sheer	CAS-SETTE/END CAP/CHAIN COLOR	WAND COLOR	FABRIC WRAPPED CASSETTE	U BOTTOM-RAIL	FABRIC WRAPPED BOTTOMRAIL
DL220250005	D	4	100%Polyester	0.606	110"	82mm+50mm	Black	Black	Y	Y	Y
DL220250006	D	4	100%Polyester	0.606	110"	82mm+50mm	White	White	Y	Y	Y
DL220250007	D	4	100%Polyester	0.606	110"	82mm+50mm	Beige	Beige	Y	Y	Y
DL220250008	D	4	100%Polyester	0.606	110"	82mm+50mm	Black	Black	Y	Y	Y
DL220250009	D	4	100%Polyester	0.606	110"	82mm+50mm	Grey	Grey	Y	Y	Y
DL220260001	C	2	100%Polyester	0.524	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL220260005	C	2	100%Polyester	0.524	110"	80mm+50mm	Bronze	Bronze	Y	Y	Y
DL220270001	C	2	100%Polyester	0.475	110"	80mm+48mm	Beige	Beige	Y	Y	Y
DL220270002	C	2	100%Polyester	0.475	110"	80mm+48mm	White	White	Y	Y	Y
DL220270003	C	2	100%Polyester	0.475	110"	80mm+48mm	Grey	Grey	Y	Y	Y
DL220270004	C	2	100%Polyester	0.475	110"	80mm+48mm	Grey	Grey	Y	Y	Y
DL220280001	C	2	100%Polyester	0.524	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL220280002	C	2	100%Polyester	0.524	110"	80mm+50mm	White	White	Y	Y	Y
DL220280003	C	2	100%Polyester	0.524	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL220280006	C	2	100%Polyester	0.524	110"	80mm+50mm	Beige	Beige	Y	Y	Y
DL220290001	D	2	100%Polyester	0.590	110"	80mm+48mm	Grey	Grey	Y	Y	Y
DL220290002	D	2	100%Polyester	0.590	110"	80mm+48mm	Beige	Beige	Y	Y	Y
DL220290006	D	2	100%Polyester	0.590	110"	80mm+48mm	White	White	Y	Y	Y
DL220300001	D	2	100%Polyester	0.770	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL220300002	D	2	100%Polyester	0.770	110"	80mm+50mm	Black	Black	Y	Y	Y
DL220300003	D	2	100%Polyester	0.770	110"	80mm+50mm	Bronze	Bronze	Y	Y	Y
DL220300004	D	2	100%Polyester	0.770	110"	80mm+50mm	Beige	Beige	Y	Y	Y
DL220300005	D	2	100%Polyester	0.770	110"	80mm+50mm	Black	Black	Y	Y	Y
DL220330001	D	4	100%Polyester	0.672	110"	104mm+67mm	Grey	Grey	Y	Y	Y
DL220330002	D	4	100%Polyester	0.672	110"	104mm+67mm	Grey	Grey	Y	Y	Y
DL220330004	D	4	100%Polyester	0.672	110"	104mm+67mm	Black	Black	Y	Y	Y
DL220340001	D	4	100%Polyester	0.672	110"	100mm+60mm	Grey	Grey	Y	Y	Y
DL220340002	D	4	100%Polyester	0.672	110"	100mm+60mm	Grey	Grey	Y	Y	Y
DL220340003	D	4	100%Polyester	0.672	110"	100mm+60mm	Grey	Grey	Y	Y	Y
DL220340008	D	4	100%Polyester	0.672	110"	100mm+60mm	Grey	Grey	Y	Y	Y
DL220340011	D	4	100%Polyester	0.672	110"	100mm+60mm	Black	Black	Y	Y	Y
DL220340012	D	4	100%Polyester	0.672	110"	100mm+60mm	Bronze	Bronze	Y	Y	Y
DL220340013	D	4	100%Polyester	0.672	110"	100mm+60mm	Grey	Grey	Y	Y	Y
DL220350001	C	2	100%Polyester	0.426	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL220350002	C	2	100%Polyester	0.426	110"	80mm+50mm	White	White	Y	Y	Y
DL220350003	C	2	100%Polyester	0.426	110"	80mm+50mm	Beige	Beige	Y	Y	Y
DL220350004	C	2	100%Polyester	0.426	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL220350005	C	2	100%Polyester	0.426	110"	80mm+50mm	White	White	Y	Y	Y
DL220370001	B	2	100%Polyester	0.426	110"	80mm+50mm	White	White	Y	Y	Y
DL220370002	B	2	100%Polyester	0.426	110"	80mm+50mm	White	White	Y	Y	Y
DL220370003	B	2	100%Polyester	0.426	110"	80mm+50mm	Beige	Beige	Y	Y	Y

FABRIC CODE	PRICE GROUP	ROOM DARKENING LEVEL(1-4)	FABRIC COMPOSITION	FABRIC WEIGHT (g/m ²)	FABRIC WIDTH	REPEAT Solid/Sheer	CAS-SETTE/END CAP/CHAIN COLOR	WAND COLOR	FABRIC WRAPPED CASSETTE	U BOTTOM-RAIL	FABRIC WRAPPED BOTTOMRAIL
DL220370004	B	2	100%Polyester	0.426	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL220370005	B	2	100%Polyester	0.426	110"	80mm+50mm	Grey	Grey	Y	Y	Y
DL220370006	B	2	100%Polyester	0.426	110"	80mm+50mm	Beige	Beige	Y	Y	Y
DLWG202020003	B	2	100%Polyester	0.580	118"	75mm+50mm	Bronze	Bronze	Y	Y	Y
DLWG202020004	B	2	100%Polyester	0.580	118"	75mm+50mm	Bronze	Bronze	Y	Y	Y
DLWG202030001	A	2	100%Polyester	0.393	102"	75mm+50mm	White	White	Y	Y	Y
DLWG202030009	A	2	100%Polyester	0.393	102"	75mm+50mm	Beige	Beige	Y	Y	Y
DLWG202030012	A	2	100%Polyester	0.393	102"	75mm+50mm	Black	Black	Y	Y	Y
DLWG202030014	A	2	100%Polyester	0.393	102"	75mm+50mm	Beige	Beige	Y	Y	Y
DLWG202030022	A	2	100%Polyester	0.393	102"	75mm+50mm	Bronze	Bronze	Y	Y	Y
DLWG202030023	A	2	100%Polyester	0.393	102"	75mm+50mm	Bronze	Bronze	Y	Y	Y
DLWG202030024	A	2	100%Polyester	0.393	102"	75mm+50mm	Black	Black	Y	Y	Y
DLWG202060001	C	3	100%Polyester	0.744	118"	100mm+60mm	White	White	Y	Y	Y
DLWG202060002	C	3	100%Polyester	0.744	118"	100mm+60mm	Beige	Beige	Y	Y	Y
DLWG202060010	C	3	100%Polyester	0.744	118"	100mm+60mm	Bronze	Bronze	Y	Y	Y
DLWG202060012	C	3	100%Polyester	0.744	118"	100mm+60mm	Black	Black	Y	Y	Y
DLWG202070001	E	4	100%Polyester	0.534	110"	133mm+98mm	White	White	Y	Y	Y
DLWG202070002	E	4	100%Polyester	0.534	110"	133mm+98mm	Beige	Beige	Y	Y	Y
DLWG202070004	E	4	100%Polyester	0.534	110"	133mm+98mm	Grey	Grey	Y	Y	Y
DLWG202070011	E	4	100%Polyester	0.534	110"	133mm+98mm	Black	Black	Y	Y	Y
DLWG202070012	E	4	100%Polyester	0.534	110"	133mm+98mm	Bronze	Bronze	Y	Y	Y
DLWG202070013	E	4	100%Polyester	0.534	110"	133mm+98mm	Black	Black	Y	Y	Y
DLWG202080002	B	2	100%Polyester	0.475	110"	75mm+50mm	Beige	Beige	Y	Y	Y
DLWG202080009	B	2	100%Polyester	0.475	110"	75mm+50mm	Grey	Grey	Y	Y	Y
DLWG202080011	B	2	100%Polyester	0.475	110"	75mm+50mm	Bronze	Bronze	Y	Y	Y
DLWG202080019	B	2	100%Polyester	0.475	110"	75mm+50mm	Grey	Grey	Y	Y	Y
DLWG202080022	B	2	100%Polyester	0.475	110"	75mm+50mm	White	White	Y	Y	Y
DLWG202080023	B	2	100%Polyester	0.475	110"	75mm+50mm	Beige	Beige	Y	Y	Y
DLWG202100322	C	2	100%Polyester	0.492	110"	100mm+70mm	Beige	Beige	Y	Y	Y
DLWG202100329	C	2	100%Polyester	0.492	110"	100mm+70mm	Beige	Beige	Y	Y	Y
DLWG202119231	B	2	100%Polyester	0.475	110"	115mm+90mm	Beige	Beige	Y	Y	Y
DLWG202119235	B	2	100%Polyester	0.475	110"	115mm+90mm	Grey	Grey	Y	Y	Y
DLWG202119237	B	2	100%Polyester	0.475	110"	115mm+90mm	Beige	Beige	Y	Y	Y
DLWG202164381	D	2	100%Polyester	0.459	110"	120mm+90mm	White	White	Y	N	N
DLWG202185151	F	2	100%Polyester	0.459	110"	140mm+100mm	White	White	Y	N	N
DLWG202185152	F	2	100%Polyester	0.459	110"	140mm+100mm	Grey	Grey	Y	N	N
DLWG202185153	F	2	100%Polyester	0.459	110"	140mm+100mm	Grey	Grey	Y	N	N
DLWG202185154	F	2	100%Polyester	0.459	110"	140mm+100mm	Grey	Grey	Y	N	N

NOTE:102"=260cm 110"=280cm 118"=300cm

Western Window Coverings, Inc.

Price Group A ---- Continuous Loop System With Small Cassette (See surcharge page for Big Cassette & Fascia option)

Height \ Width	12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
24"	83	99	116	132	152	172	192	209	232	248	268	284	305	341	375	411
30"	85	102	119	136	157	178	198	217	240	257	278	295	316	354	389	427
36"	86	104	122	140	162	183	205	224	248	266	287	305	327	367	403	443
42"	88	107	126	145	167	190	212	232	257	276	298	316	339	380	419	460
48"	94	113	133	152	175	199	222	243	268	288	311	330	354	397	437	479
54"	96	116	136	157	180	205	229	250	277	297	321	342	366	410	452	496
60"	97	118	140	161	185	211	235	258	285	306	331	352	377	423	467	512
66"	99	121	143	165	190	216	242	265	293	315	341	362	389	436	481	528
72"	104	127	150	172	198	226	252	276	305	328	354	376	403	452	499	548
78"	106	130	153	177	203	231	258	283	313	336	363	387	415	465	513	564
84"	108	132	157	181	209	237	265	291	322	346	374	398	427	479	529	581
96"	112	137	163	189	218	249	278	306	338	364	393	419	449	504	558	613
108"	118	146	175	203	235	269	301	331	366	395	427	455	489	549	608	669
120"	125	155	185	216	249	285	318	351	387	417	451	481	516	580	643	707

Recommended to add a spring assist for shades over 108" x 108" and in shaded area. Spring Assist - add \$40.00.

Price Group B ---- Continuous Loop System With Small Cassette (See surcharge page for Big Cassette & Fascia option)

Height \ Width	12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
24"	87	105	123	141	163	185	207	226	250	269	290	308	331	370	408	448
30"	89	109	128	147	170	193	216	237	263	282	305	324	347	390	429	472
36"	92	112	133	153	177	202	226	248	275	295	319	340	364	409	451	495
42"	95	116	138	160	185	211	236	259	288	309	334	356	382	429	474	521
48"	101	124	146	169	196	223	249	274	303	326	352	375	403	452	499	548
54"	103	128	152	176	203	232	260	285	316	340	368	392	420	472	522	574
60"	106	131	157	182	211	241	269	296	328	353	382	407	437	491	544	598
66"	109	135	162	188	218	249	279	307	340	367	397	423	454	511	565	622
72"	115	142	170	198	229	261	292	322	356	383	414	442	474	533	590	649
78"	117	146	175	204	236	270	302	333	368	397	429	458	491	552	612	673
84"	120	150	180	210	244	279	312	344	381	411	444	474	509	573	635	699
96"	125	158	190	222	258	296	332	366	405	437	473	505	543	611	678	746
108"	134	171	207	244	284	325	365	404	447	484	524	560	602	678	754	830
120"	143	182	221	260	303	347	390	431	477	516	558	597	642	723	804	885

Recommended to add a spring assist for shades over 108" x 108" and in shaded area. Spring Assist - add \$40.00.

Price Group C ---- Continuous Loop System With Small Cassette (See surcharge page for Big Cassette & Fascia option)

Height \ Width	12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
24"	90	110	130	150	174	198	221	243	269	289	312	332	357	400	441	485
30"	94	115	137	158	183	209	234	257	285	307	332	353	379	425	470	516
36"	97	120	143	166	193	221	247	272	301	324	351	374	401	451	499	548
42"	101	126	150	175	203	233	261	287	318	343	371	396	425	478	529	582
48"	108	134	160	187	216	247	277	305	338	364	394	420	451	507	561	617
54"	111	139	167	195	227	259	291	321	355	383	414	442	475	534	592	651
60"	115	144	174	203	236	271	304	335	371	400	433	463	497	560	621	683
66"	118	149	180	211	246	282	316	350	387	418	453	484	520	585	649	715
72"	125	158	190	223	259	297	333	368	406	439	475	508	545	614	682	750
78"	128	163	197	231	269	308	346	382	423	457	494	529	568	640	710	782
84"	132	168	204	240	279	320	359	397	440	475	515	551	592	667	741	816
96"	139	178	217	256	298	342	385	426	472	511	553	592	637	718	798	880
108"	150	195	239	284	332	382	430	477	528	572	620	665	715	807	899	992
120"	161	209	257	305	356	410	461	512	566	614	665	713	767	866	965	1,064

Recommended to add a spring assist for shades over 108" x 108" and in shaded area. Spring Assist - add \$40.00.

Price Group D ---- Continuous Loop System With Small Cassette																
Width \ Height	12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
24"	94	116	138	160	185	211	236	259	288	309	335	356	382	429	474	522
30"	98	122	146	170	197	225	252	277	308	331	358	382	410	461	510	561
36"	103	128	154	180	209	239	268	296	328	353	382	408	438	493	546	601
42"	107	135	163	190	222	254	285	315	349	377	408	436	468	527	584	643
48"	115	144	174	204	237	272	305	336	372	402	435	465	499	562	624	687
54"	119	151	183	215	250	287	322	356	394	426	461	493	529	596	662	729
60"	123	157	191	225	262	301	338	374	414	447	485	518	557	628	698	769
66"	128	163	199	235	274	315	354	392	434	469	509	544	585	660	734	808
72"	135	173	210	248	289	332	373	413	457	495	536	574	617	695	773	852
78"	139	179	219	258	301	346	389	431	477	517	560	599	644	727	809	891
84"	144	186	227	269	314	361	406	451	499	540	585	627	674	761	847	934
96"	152	198	243	289	338	389	438	487	539	584	633	679	730	825	919	1,013
108"	167	219	272	324	380	439	494	550	609	661	717	770	828	937	1,045	1,153
120"	179	236	292	349	409	472	532	593	656	712	772	829	892	1,009	1,125	1,242

Recommended to add a spring assist for shades over 108" x 108" and in shaded area. Spring Assist - add \$40.00.

Price Group E ---- Continuous Loop System With Small Cassette (See surcharge page for Big Cassette & Fascia option)																
Width \ Height	12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
24"	102	127	153	178	207	237	266	293	325	350	379	404	434	489	541	595
30"	107	136	164	192	224	256	288	318	353	381	412	440	473	533	591	651
36"	113	144	175	206	240	276	310	343	380	411	446	477	512	578	641	706
42"	120	153	187	221	258	297	334	370	410	444	481	515	554	625	695	766
48"	129	165	202	238	278	320	360	399	442	478	518	555	596	673	748	825
54"	135	174	214	253	296	341	384	426	472	511	554	593	638	720	802	884
60"	141	183	225	267	313	361	406	451	500	542	587	629	677	765	852	940
66"	147	191	236	281	329	380	428	476	527	572	621	665	716	809	902	995
72"	156	203	251	299	350	403	454	505	559	606	657	705	759	857	956	1,054
78"	162	212	262	313	366	423	477	530	587	637	691	741	798	902	1,006	1,110
84"	168	221	274	327	384	444	500	557	617	670	727	780	839	949	1,059	1,169
96"	179	238	297	355	417	483	545	608	673	731	793	852	917	1,038	1,159	1,280
108"	200	268	336	404	476	552	623	696	771	839	911	979	1,055	1,195	1,336	1,476
120"	216	290	364	438	515	597	675	754	834	909	986	1,060	1,142	1,294	1,447	1,599

Recommended to add a spring assist for shades over 108" x 108" and in shaded area. Spring Assist - add \$40.00.

Price Group F ---- Continuous Loop System With Small Cassette (See surcharge page for Big Cassette & Fascia option)																
Width \ Height	12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
24"	109	138	167	196	229	263	295	326	362	391	423	452	486	548	608	669
30"	117	149	182	214	250	288	324	359	397	430	466	499	536	605	672	741
36"	124	160	196	232	272	313	353	391	433	469	509	545	586	662	736	812
42"	132	172	212	251	295	340	383	426	472	511	555	595	640	723	805	888
48"	143	186	229	273	319	368	415	461	511	554	601	644	693	783	873	963
54"	151	198	245	292	342	395	446	496	549	596	647	694	747	844	942	1,039
60"	158	209	259	310	364	420	474	528	585	636	690	740	797	902	1,006	1,111
66"	166	220	274	328	385	446	503	561	621	675	733	787	847	959	1,070	1,182
72"	176	234	291	349	410	474	535	597	660	718	779	837	901	1,019	1,138	1,257
78"	184	245	306	367	431	499	564	629	696	757	822	883	951	1,076	1,203	1,328
84"	192	257	321	386	454	526	594	664	735	799	868	932	1,004	1,137	1,271	1,404
96"	207	278	350	422	497	577	652	728	806	878	953	1,025	1,105	1,252	1,400	1,547
108"	232	317	401	485	572	665	753	842	933	1,017	1,104	1,188	1,281	1,453	1,627	1,798
120"	252	344	435	527	622	723	818	915	1,013	1,105	1,200	1,292	1,393	1,579	1,769	1,955

Recommended to add a spring assist for shades over 108" x 108" and in shaded area. Spring Assist - add \$40.00.

Step 3 - Upgrade Choices

	Motor Type	Price	Motor No
<p>Cost of upgrade the system:</p> <ol style="list-style-type: none"> 1. Wand motorized system - add \$160 2. Remote motorized system price. 3. Cordless system - add \$56. 4. Telescoping Pole - Cordless (Use for tall shades) - Add \$ 22. 5. Dual (DOUBLE) Shades - Price each shade individually without the top treatment and add together. Specify dual shade and the mill will send dual shade brackets. 5. Dual (Double) Shade Top Treatment (See Chart Below). 6. Upgrade to stainless steel chain - add \$25. 7. Upgrade to Square or Arc cassette (See Charts below). 8. Spring Assist - add \$40 Recommended to add a spring assist for shades over 108 x 108 and in shaded area. 9. Bottom rail is fabric wrapped - No Charge 10. Hold Down Brackets - No Charge 11. Standard or Reverse roll - No Charge. Reverse roll can only be made with no Top Treatment. 	Wireless Standard Motor	\$185	DM25LEU-S Min width: 20" Max width: 110" Max height: 118"
	CE motor	\$200	DM25CE-S Min width: 15" Max width: 78" Max height: 98"
	Wireless Quiet motor	\$295	DM28LEU-S Min width: 29 5/8" Max width: 110" Max height: 118"
	Wired motor	\$227	DM25TE Min width: 20 1/8" Max width: 110" Max height: 118"
	P-Box hub	\$322	
	DD1554-USB hub	\$252	
	Wand motor	\$160	
	Single remote	\$40	
	Multi remote	\$56	
	Single channel Wall Switches	\$40	
	Multi channel Wall Switches	\$56	
	118" charger	\$18	
	196" charger	\$20	
	Solar Panel	\$160	
8" Extension cable	\$14		

Type	12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
ARC CASSETTE - Big - 4"	\$5	\$7	\$9	\$10	\$12	\$14	\$16	\$18	\$19	\$21	\$23	\$25	\$26	\$30	\$34	\$37
SQUARE CASSETTE Small - 3	\$7	\$10	\$13	\$16	\$19	\$22	\$25	\$28	\$31	\$34	\$37	\$39	\$43	\$49	\$55	\$60
SQUARE - CASSETTE Big - 4"	\$25	\$32	\$40	\$47	\$54	\$62	\$70	\$78	\$85	\$92	\$100	\$107	\$115	\$130	\$145	\$160

ARC - CASSETTES - ARE FABRIC INSERTED

SQUARE - FASCIA IS AVAILABLE IN 5 COLORS OR CAN BE FABRIC WRAPPED AT NO ADDITIONAL CHARGE. COLORS OF CASSETTES: WHITE, BEIGE, GRAY, BRONZE & BLACK

Zebra Shade Measuring & Ordering Instructions

Selecting the Type of Mounting:

Determine whether the shade is going to be installed inside the window frame (IB) or outside the window frame (OB).



Inside Mount (IB):


Inside mount installations are often preferred because the shade take up less space in the room.

Measuring the Width and the Length for Inside Mount:

For the width, measure across the top, middle, and bottom of the window opening. Using the narrowest dimension, measure to the nearest $\frac{1}{8}$ ".

For the length, measure the up and down dimension on the left, center, and right. Use the shortest length measurement, measuring to the nearest $\frac{1}{8}$ ".

Do not make any width deductions. The factory will make the appropriate deductions. See the deduction information below.



Outside Mount (OB):

Outside mount installations are mounted on the wall or on the window molding. It is best to overlap the window opening at least $1\frac{1}{2}$ " on each side when measuring for roller shades.

Measuring the Width and the Length for Outside Mount:

Measure the area that the shade is to cover. For roller shades it is recommended to overlap the window opening by at least $1\frac{1}{2}$ " on each side for a total of 3". To allow for enough space for the mounting brackets and to cover the bottom of the window, the suggested overlap for a roller shade varies depending on the size of the shade and the valance option that is selected. If the window opening has a sill, measure from where the top of the shade will be located to the top of the windowsill.

Confirming Measurements:

The most common error in ordering shades is reversing the width and the length measurements. Always confirm that the width is the measurement that goes across from left to right and that the length is the measurement that goes from top to bottom. List the width measurement first (W x L).

The fabric has obtained the following standards and systems



ISO 14001



- ISO 14000 Series is developed to promote the improvement of global environmental quality.
- Strengthen the environmental awareness, management capabilities, and safeguard measures of organizations (companies, enterprises)



ISO 9001



- ISO 9001 sets standards not only for quality management systems but also for the overall management systems.
- Strengthen the internal management of enterprises, stabilize business operations, and reduce technical or quality fluctuations caused by employees resigning. Improve corporate image.



GREENGUARD



- Fabrics with Greenguard Certification are produced using methods that have low chemical emissions and are compliant with key chemical emission standards.
- The Greenguard Certification applies to all fabrics.



OEKO TEX 100



- Fabrics with the OEKO-TEX certification have been tested for harmful substances and toxic chemicals.
- The OEKO-TEX Certification applies to all fabric types except printed fabrics.

SHADE CONSTRUCTION FABRIC OPTIONS

LIGHT-FILTERING FABRICS

- The zebra shade fabrics use the interlace technology of sheer and shading cloth, which can adjust the light level by overlapping or staggering the sheer and cloth on the two layers.
- The sheer part has a perspective effect, and the shading cloth part has a sunshade function. The sunshade level of the zebra fabrics is divided into two levels. You can find the fabric shading level in the material reference table.

BLACKOUT FABRICS

- The zebra shade fabrics use the interlaced technology of sheer and shading cloth, which can adjust the light level by overlapping or staggering the sheer and cloth on the two layers.
- The sheer part has a perspective effect, and the shading cloth part has a sunshade function. The sunshade level of the zebra fabrics is divided into two levels. You can find the fabric shading level in the material reference table.
- The blackout fabric is more functional, in addition to dimming, it can also better shade and protect privacy.
- Full blackout soft gauze curtains allow people to better avoid the damage of strong light and ultraviolet rays while enjoying the sun, and fully protect privacy, making the living space more comfortable and safer.
- The blackout zebra shade enables people to enjoy the sun at the same time, better avoid the damage of strong light and ultraviolet light, and fully protect privacy, making the living space more comfortable and safe.

ROLL DIRECTION

STANDARD ROLL

- Shade fabric comes off the back of the roll.
 - Standard roll allows the shade fabric to be closer to the window which is best for increased privacy and light blockage.
 - NOTE: The back of the fabric will show on the shade roll.
- (Only Standard Roll for zebra shades)




ARC CASSETTE -STANDARD ROLL

BOTTOMRAIL OPTION

ROUNDED BOTTOM RAIL

· See instructions in material reference sheet.



ROUNDED BOTTOM RAIL



FABRIC WRAPPED BOTTOM RAIL

FABRIC WRAPPED BOTTOM RAIL

· See instructions in material reference sheet.

CONTINUOUS CORD LOOP

· Clutches and plastic bead chain loops are available in six coordinating colors: white, beige, gray, warm gray, bronze, and black.

· Standard chain length options are 20", 39", 59", 79", 98".

· A stainless steel custom length chain is available as a surcharge option.

· The CONTINUOUS CORD LOOP shade has a maximum load capacity of 13.22 pounds. Find the fabric weight in the Materials Reference table.



CHAIN



TENSIONER



TENSIONER SIZE



WHITE



WARM GRAY



BEIGE



GRAY



BRONZE



BLACK

· Recommended to add a spring assist for shades over 108" x 108"




SPRING ASSIST

EXACT LIFT CORDLESS

- Move and stay at any desired location by raising or lowering the bottom rail.
- Suitable for side-by-side installations for exact alignment.
- Available with clear hem grips.
- A telescoping pole is available as a surcharge option.
- The cordless shade has a maximum load capacity of 8.818 pounds. Find the fabric weight in the Materials Reference table.




HEM GRIPS



HEM GRIPS

TELESCOPING POLE

- A 45" telescoping pole can be used to lower and raise shades.



TELESCOPING POLE

WAND MOTOR

- Wand control shades are powered by a rechargeable battery motor and are operated using a wand, which hangs to the side of the shade.
- Wand control is a good alternative to cordless when the window or shade size makes it hard to raise or lower the shade.
- Mini-USB charging port for the motor battery is located on back of the wand handle.
- 5 available wand colors: white, beige, gray, bronze, and black.
- 4 available wand lengths: 24", 36", 48", and 60".



BLACKOUT



SEMI-BLACKOUT



CONNECTION DETAILS



WAND COLOR



BUTTONS



USB CHARGER



CHARGER



WAND MOTORS

REMOTE MOTORIZED

LITHIUM-ION BATTERY MOTOR

- Motor powered by rechargeable lithium-ion battery.
- Shade battery is recharged via a mini-USB port in the motor head.



LITHIUM-ION BATTERY MOTOR

QUIET-LIFT LITHIUM-ION BATTERY MOTOR

- Upgraded rechargeable lithium-ion battery motor that features a more quiet and powerful lift.
- Shade battery is recharged via a mini-USB port in the motor head.



QUIET LIFT LITHIUM-ION BATTERY MOTOR

AC MOTOR

- 100V - 240V AC motor with built-in transformer.
- An electrician may be required before installation.



AC MOTOR

CE MOTOR (External lithium battery motor)


- 12V CE motor.
- Powered through an external battery pack.
- Because the battery pack is external, shades powered by DC motors can be made in narrow widths.(16.5")
- Can be matched with the following 2 battery pack.



EXTERNAL LITHIUM BATTERY MOTOR



RECHARGEABLE LITHIUM BATTERY PACK



RECHARGEABLE BATTERY PACK

CONTROL OPTIONS

There are 2 kinds of controls a Wall switch and a Remote.

All motorized shade collections use the same motor type and can be controlled with the same Remote/HUB.

REMOTE CONTROL

- Single and multi-channel remotes

Single-channel remotes have only 1 channel and the channel can operate 15 shades.

Multi-channel remotes have 15 channels. Each channel can operate 15 shades at most. Channel 0 will operate 15 channels at the same time.

- Single and multi-channel wall switch

A single-channel wall switch will have 1 channel and the channel can operate 15 shades.

The channel can operate 15 shades mostly Multi-channel switch has 15 channels. Each channel can operate 15 shades at most.



SINGLE CHANNEL REMOTE

MULTI-CHANNEL REMOTE



SINGLE CHANNEL WALL SWITCH

MULTI-CHANNEL WALL SWITCH

SMART HUB CONTROL

· HUB is the intermediate hub connected to the mobile phone app. The transmission distance range is between 82-114 feet.

All motors can be connected to HUB through Amazon Alexa, Control4, Google Home, IFTTT, RTI, Samsung Smart Things, and Siri Short Cuts to control shades.

We suggest ordering 1 hub per floor. Hubs are shipped with a 48" Ethernet cable and a 40" power cable.

We have the Mini Bridge and the P-Box-give a description of each. P-Box (DD7006) is an evolved new generation of hub enabling adaptable and reliable interaction of motorized window covering systems with cloud ecosystems such as Amazon Alexa, Google Assistant, IFTTT, Smart things, etc, main features include: - Straightforward LAN cable connection, or alternative Wi-Fi; - Hub configuration via BLUETOOTH (bt 4.2) from Smartphone, DIY/installer friendly; - Compatibility to home automation system, such as Control4, Crestron, ELAN, URC, RTI, etc.

Mini bridge is a Wi-Fi to RF+ interface. It builds a connection via the user's Wi-Fi router at home and enables the user to control motorized window covering and sunshading products with designated smart-phone applications and interaction with the ecosystem such as Amazon Alexa, Google Assistant, .etc, via cloud API.



Pro HUB(WIFI and Cable)

69



CONNECTOR+ APP

Connect HUB with Google home, Alex, etc. (Remark when ordering the HUB)

SOLAR PANEL

- Under the premise of no additional charging, if the shade is charged only by the solar panel, a certain amount of sunshine time and intensity are required. If the sunshine time or intensity is not enough, there will be a lack of motor power.
- Regular glass does not affect the use of solar panels.



EXTENSION CABLE

- All motor general 8 inches extension cable.



CASSETTE OPTIONS

ARC CASSETTE

- Available in 3" and 4" sizes. The maximum width and length for a 3" cassette is 78".
- Available in 6 colors: white, beige, gray, warm gray, bronze, and black.
- Fabric insert can be custom ordered in any fabric.
- Standard roll only.
- For inside mount or back mount, the depth of the window frame should be more than 3.3 inches for small cassettes and more than 4 inches for the big cassettes.


SQUARE CASSETTE

- Available in 3" and 4" sizes. The maximum width and length for a 3" cassette is 78".
- Available in 6 colors: white, beige, gray, warm gray, bronze, and black.
- Fabric insert can be custom ordered in any fabric.
- Standard roll only.
- For inside mount or back mount, the depth of the window frame should be more than 3.3 inches for small cassettes and more than 4 inches for the big cassettes.




ARC CASSETTE

THE SIZES FOR SMALL AND BIG ARC CASSETTE NEEDS BIG CASSETTE IF WIDTH OR HEIGHT IS MORE THAN 78"



ARC SMALL

ARC BIG



SQUARE CASSETTE

THE SIZES FOR SMALL AND BIG SQUARE CASSETTE NEEDS BIG CASSETTE IF WIDTH OR HEIGHT IS MORE THAN 78"




SQUARE SMALL

SQUARE BIG



CASSETTE BRACKET (UNIVERSAL)
FOR LARGE & SMALL CASSETTES



BEIGE

BLACK

WHITE

GRAY


WARM GRAY

BRONZE

MULTIPLE SHADES IN ONE CASSETTE (2-ON-1)

CONTINUOUS CORD LOOP & MOTORIZED


- Available with both rounded and square cassettes in either 3" or 4" size.
- Controls will be on the outside end of each shade.
- Center gap of 0.98" between shades.
- Cassette inserts or wrap will be made to the maximum width of the fabric. Wider inserts must be spliced or railroaded.
- Price each shade individually. The cassette price is determined by the overall width. No additional surcharge.



EIGHT-GRID SPACER, THIN SPACER, HOLD DOWN BRACKETS


EIGHT-GRID SPACER

- Place it on the side or top of the installation code, use it when there is a wooden frame or obstruction so that it protrudes from the window frame or obstruction.




THIN SPACER

- Place it on the side or top of the installation bracket to prevent the shade from skewing when the wall is uneven.




BACK MOUNT




TOP MOUNT

- When the wall surface is uneven and the depth is too deep, the eight-grid spacer and the thin spacer can be used at the same time, acting on the side or top of the installation code.




BACK MOUNT




TOP MOUNT

HOLD DOWN BRACKETS


- Fixed zebra shade bottom rail.



ZEBRA HOLD DOWN BRACKETS



FABRIC WRAPPED BOTTOMRAIL



ROUNDED BOTTOMRAIL